



**Product Approval**

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

<p>FL #</p> <p>Application Type</p> <p>Code Version</p> <p>Application Status</p> <p>Comments</p> <p>Archived</p>	<p>FL1350-R2</p> <p>Revision</p> <p>2007</p> <p>Approved</p> <p><input type="checkbox"/></p>						
<p>Product Manufacturer</p> <p>Address/Phone/Email</p>	<p>Arxx Building Products</p> <p>800 Division St</p> <p>Cobourg,</p> <p>(800) 293-3210 Ext 202</p> <p>cpalmer@arxx.com</p>						
<p>Authorized Signature</p>	<p>Chris Palmer</p> <p>cpalmer@arxx.com</p>						
<p>Technical Representative</p> <p>Address/Phone/Email</p>	<p>Chris Palmer</p> <p>Arxx Building Products Inc</p> <p>2711 Centerville Road</p> <p>Wilmington, DE 19808-1660</p> <p>(800) 293-3210 Ext 202</p> <p>cpalmer@arxx.com</p>						
<p>Quality Assurance Representative</p> <p>Address/Phone/Email</p>	<p>Chris Palmer</p> <p>Arxx Building Products</p> <p>800 Division Street</p> <p>Cobourg</p> <p>(905) 373-0004</p> <p>cpalmer@arxxbuild.com</p>						
<p>Category</p> <p>Subcategory</p>	<p>Structural Components</p> <p>Insulation Form Systems</p>						
<p>Compliance Method</p>	<p>Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer</p> <p><input checked="" type="checkbox"/> Evaluation Report - Hardcopy Received</p>						
<p>Florida Engineer or Architect Name who developed the Evaluation Report</p> <p>Florida License</p> <p>Quality Assurance Entity</p> <p>Quality Assurance Contract Expiration Date</p> <p>Validated By</p>	<p>Chris Bowness</p> <p>PE-64748</p> <p>Intertek Testing Services NA Inc. - ETL/Warnock Hersey</p> <p>09/10/2012</p> <p>Ronald Ogawa, P.E.</p> <p><input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received</p>						
<p>Certificate of Independence</p>	<p><a href="#">FL1350_R2_COI_Chris Bowness Certificate of Independence.pdf</a></p>						
<p>Referenced Standard and Year (of Standard)</p>	<table border="0"> <thead> <tr> <th style="text-align: left;"><u>Standard</u></th> <th style="text-align: left;"><u>Year</u></th> </tr> </thead> <tbody> <tr> <td>ASTM D1761</td> <td>2000</td> </tr> <tr> <td>ASTM D1929</td> <td>2000</td> </tr> </tbody> </table>	<u>Standard</u>	<u>Year</u>	ASTM D1761	2000	ASTM D1929	2000
<u>Standard</u>	<u>Year</u>						
ASTM D1761	2000						
ASTM D1929	2000						

ASTM D635	2003
ASTM E119	2000
ASTM E84	2004

Equivalence of Product Standards  
Certified By

Sections from the Code

Product Approval Method Method 1 Option D

Date Submitted 09/10/2009  
Date Validated 12/29/2009  
Date Pending FBC Approval 01/07/2010  
Date Approved 02/02/2010

**Summary of Products**

Go to Page  

FL #	Model, Number or Name	Description
1350.1	10" 90 Degree Corner	icf
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_II_PTID_1350_R1_I_Arxx_Installation_Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx_Evaluation_HVHZ_Report_RJ0270-5_July_15_2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx_Evaluation_Report_RJ0270-1_August_24_2009.pdf</a> Created by Independent Third Party: Yes
1350.2	10" end cap	icf
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_II_PTID_1350_R1_I_Arxx_Installation_Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx_Evaluation_HVHZ_Report_RJ0270-5_July_15_2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx_Evaluation_Report_RJ0270-1_August_24_2009.pdf</a> Created by Independent Third Party: Yes
1350.3	10" Height Adjuster	icf
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_II_PTID_1350_R1_I_Arxx_Installation_Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx_Evaluation_HVHZ_Report_RJ0270-5_July_15_2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx_Evaluation_Report_RJ0270-1_August_24_2009.pdf</a> Created by Independent Third Party: Yes
1350.4	10" Standard	icf
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_II_PTID_1350_R1_I_Arxx_Installation_Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx_Evaluation_HVHZ_Report_RJ0270-5_July_15_2009.pdf</a>

		<a href="#">FL1350_R2_AE_Arxx Evaluation Report RJ0270-1 August 24 2009.pdf</a> Created by Independent Third Party: Yes
1350.5	4" 90 Degree Corner	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_IL_PTID_1350_R1_I_Arxx Installation Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx Evaluation HVHZ Report RJ0270-5 July 15 2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx Evaluation Report RJ0270-1 August 24 2009.pdf</a> Created by Independent Third Party: Yes
1350.6	4" End Cap	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_IL_PTID_1350_R1_I_Arxx Installation Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx Evaluation HVHZ Report RJ0270-5 July 15 2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx Evaluation Report RJ0270-1 August 24 2009.pdf</a> Created by Independent Third Party: Yes
1350.7	4" Height Adjuster	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_IL_PTID_1350_R1_I_Arxx Installation Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx Evaluation HVHZ Report RJ0270-5 July 15 2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx Evaluation Report RJ0270-1 August 24 2009.pdf</a> Created by Independent Third Party: Yes
1350.8	4" Standard	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_IL_PTID_1350_R1_I_Arxx Installation Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx Evaluation HVHZ Report RJ0270-5 July 15 2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx Evaluation Report RJ0270-1 August 24 2009.pdf</a> Created by Independent Third Party: Yes
1350.9	6" 90 Degree Corner	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_IL_PTID_1350_R1_I_Arxx Installation Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx Evaluation HVHZ Report RJ0270-5 July 15 2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx Evaluation Report RJ0270-1 August 24 2009.pdf</a> Created by Independent Third Party: Yes
1350.10	6" Adjustable Corner	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_IL_PTID_1350_R1_I_Arxx Installation Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx Evaluation HVHZ Report RJ0270-5 July 15 2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx Evaluation Report RJ0270-1 August 24 2009.pdf</a> Created by Independent Third Party: Yes

		<a href="#">August 24 2009.pdf</a> Created by Independent Third Party: Yes
1350.11	6" Double 45 Degree Corner	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_II_PTID_1350_R1_I_Arxx_Installation_Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx_Evaluation_HVHZ_Report_RJ0270-5_July_15_2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx_Evaluation_Report_RJ0270-1_August_24_2009.pdf</a> Created by Independent Third Party: Yes
1350.12	6" End Cap	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_II_PTID_1350_R1_I_Arxx_Installation_Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx_Evaluation_HVHZ_Report_RJ0270-5_July_15_2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx_Evaluation_Report_RJ0270-1_August_24_2009.pdf</a> Created by Independent Third Party: Yes
1350.13	6" Extended Brick Ledge	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_II_PTID_1350_R1_I_Arxx_Installation_Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx_Evaluation_HVHZ_Report_RJ0270-5_July_15_2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx_Evaluation_Report_RJ0270-1_August_24_2009.pdf</a> Created by Independent Third Party: Yes
1350.14	6" Height Adjuster	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_II_PTID_1350_R1_I_Arxx_Installation_Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx_Evaluation_HVHZ_Report_RJ0270-5_July_15_2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx_Evaluation_Report_RJ0270-1_August_24_2009.pdf</a> Created by Independent Third Party: Yes
1350.15	6" Standard	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_II_PTID_1350_R1_I_Arxx_Installation_Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx_Evaluation_HVHZ_Report_RJ0270-5_July_15_2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx_Evaluation_Report_RJ0270-1_August_24_2009.pdf</a> Created by Independent Third Party: Yes
1350.16	6" Tapered Top	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_II_PTID_1350_R1_I_Arxx_Installation_Manual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx_Evaluation_HVHZ_Report_RJ0270-5_July_15_2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx_Evaluation_Report_RJ0270-1_August_24_2009.pdf</a>

		Created by Independent Third Party: Yes
1350.17	8" 90 Degree Corner	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_II_PTID_1350_R1_I_Arxx_InstallationManual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx_Evaluation HVHZ Report RJ0270-5 July 15 2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx_Evaluation Report RJ0270-1 August 24 2009.pdf</a> Created by Independent Third Party: Yes
1350.18	8" Double 45 Degree Corner	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_II_PTID_1350_R1_I_Arxx_InstallationManual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx_Evaluation HVHZ Report RJ0270-5 July 15 2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx_Evaluation Report RJ0270-1 August 24 2009.pdf</a> Created by Independent Third Party: Yes
1350.19	8" End Cap	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_II_PTID_1350_R1_I_Arxx_InstallationManual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx_Evaluation HVHZ Report RJ0270-5 July 15 2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx_Evaluation Report RJ0270-1 August 24 2009.pdf</a> Created by Independent Third Party: Yes
1350.20	8" Extended Brick Ledge form	icf
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> Refer to Arxx Instalation Guide		<b>Installation Instructions</b> <a href="#">FL1350_R2_II_PTID_1350_R1_I_Arxx_InstallationManual.pdf</a> Verified By: ICC Evaluation Service, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL1350_R2_AE_Arxx_Evaluation HVHZ Report RJ0270-5 July 15 2009.pdf</a> <a href="#">FL1350_R2_AE_Arxx_Evaluation Report RJ0270-1 August 24 2009.pdf</a> Created by Independent Third Party: Yes

Go to Page



Page 1 / 2



Back

Next

DCA Administration

**Department of Community Affairs**  
**Florida Building Code Online**  
**Codes and Standards**

2555 Shumard Oak Boulevard  
Tallahassee, Florida 32399-2100  
(850) 487-1824, Fax (850) 414-8436

© 2000-2010 The State of Florida. All rights reserved.