

Redefining Building.



con·fi·dent

noun |'kän-fə-dənt|

What you feel when you work with the best ICFs in the industry:

- 1 High energy efficiency,
- 2 Providing big savings on heating and cooling costs,
- 3 A cost effective and faster build, and
- 4 The best support in the ICF industry.
- 5 **Redefining building.**

ARXX™ ICF

Redefining building.

Product Catalogue: ARXX Steel

ARXX[™] Steel | Product Catalogue

ARXX Steel and ARXX Steel Waffle Grid Forms and Accessories

Note: all forms are identified by the nominal concrete core thickness.

	SKU	EPS	length	width	height	weight	package
6" straight form	PS-4600-24	2 ½"	48"	11"	24"	14	8



	SKU	EPS	length	width	height	weight	package
6" 90° corner form	PS-4690-24	2 ½"	15", 39"	11"	24"	12.25	4L / 4R



	SKU	EPS	length	width	height	weight	package
6" 45° corner form	PS-4645-24	2 ½"	9"	11"	24"	2.75	18




	SKU	EPS	length	width	height	weight	package
8" straight form	PS-4800-24	2 ½"	48"	13"	24"	14.75	6



	SKU	EPS	length	width	height	weight	package
8" 90° corner	PS-4890-24	2 ½"	17", 41"	13"	24"	13.75	4L / 4R



	SKU	EPS	length	width	height	weight	package
8" 45° corner	PS-4845-24	2 ½"	10"	13"	24"	3.25	18




ARXX[™] Steel | Product Catalogue

ARXX Steel and ARXX Steel Waffle Grid Forms and Accessories

	SKU	EPS	length	width	height	weight	package
waffle grid 6" straight form	PS-3600	1 ½"	48"	9 ¼"	16"	6	12



	SKU	EPS	length	width	height	weight	package
waffle grid 6" 90° corner	PS-3690	1 ½"	10 ¾", 34 ⅝"	9 ¼"	16"	5.75	6L / 6R



	SKU	EPS	length	width	height	weight	package
waffle grid 6" 45° corner	PS-3645	1 ½"	7 15/16"	9 ¼"	16"	1.5	27



	SKU	EPS	length	width	height	weight	package
waffle grid 8" straight form	PS-3800	1 ½"	48"	11"	16"	8.25	12



	SKU	EPS	length	width	height	weight	package
waffle grid 8" 90° corner	PS-3890	1 ½"	11 ½", 35 ½"	11"	16"	6.25	6L / 6R



	SKU	EPS	length	width	height	weight	package
waffle grid 8" 45° corner	PS-3845	1 ½"	8 9/16"	11"	16"	2	27




ARXX[™] ICF
Redefining building.

ARXX[™] Steel | Product Catalogue


ARXX Steel and ARXX Steel Waffle Grid Forms and Accessories

	SKU	length	width	height	weight	package
90° panel connector	EB16-90-CONN	47"	5 ¼"	2 7/8"	2.45	16



**Note: not available for ARXX Steel Waffle Grid forms.*

	SKU	length	width	height	weight	package
45° panel connector	EB16-45-CONN	47"	5 ¼"	3 ½"	2.95	9



**Note: not available for ARXX Steel Waffle Grid forms.*

	Product Description	SKU	Block Dimensions				Surface		Concrete Volume		Pack Quantity	Full Pack Dimensions			
			Total Block W	L	Foam W	H	Area	Cubic Yards	Cubic Meters	L		W	H		
			Inch	Inch	Inch	Inch	Sq Ft			Inch	Inch	Inch	Inch	(lbs)	
4"	ARXX – EDGE Straight Panel Block - 4" connector	EB16-0-STD / EB04-0-CONN	9	48	2 ½	16	6	5.333	0.070	0.066	6	33	17	48	35
	ARXX – EDGE 4" 90° Corner	EB16-4-90	9	32 x 16	2 ½	16	5	5.333	0.063	0.040	6	32	19	49	30
	ARXX – PRIME 4" Standard Form	BL04-2-STD	9	48	2 ½	16 ¾	6	5.583	0.069	0.053	15	45	48	51	90
	ARXX – PRIME 4" 90° Corner	BL04-2-90	9	32 x 16	2 ½	16 ¾	5	5.583	0.057	0.043	4	25	32	34	20
5"	ARXX – EDGE Straight Panel Block - 5" connector	EB16-0-STD / EB05-0-CONN	10	48	2 ½	16	6	5.333	0.082	0.063	6	33	17	48	36
	ARXX – EDGE Straight Panel Block - 6" connectors	EB16-0-STD / EB06-0-CONN	11	48	2 ½	16	6	5.333	0.099	0.076	6	33	17	48	36
6"	ARXX – EDGE 6" 90° Corner	EB16-6-90	11	32 x 16	2 ½	16	5	5.333	0.075	0.058	6	32	19	49	30
	ARXX – PRIME 6" Standard Exposed and 1 Side Concealed	BL06-E-STD / BL06-1-STD	11 ½	48	2 ½	16 ¾	7	5.583	0.108	0.082	12	46 ½	48 ½	51	84
	ARXX – PRIME 6" - 90° Corner Exposed and 2 Sides Concealed	BL06-E-90 / BL06-2-90	11 ½	32 x 16	2 ½	16 ¾	5	5.583	0.082	0.064	4	27 ½	32	34	20
	ARXX – PRIME 6" - 12" High Standard	BL06-1-STD12	11 ½	48	2 ½	12	6	4.000	0.080	0.061	16	48	48	48	96
	ARXX – PRIME 6" - 12" High Corner	BL06-1-9012	11 ½	32 x 16	2 ½	12	5	4.000	0.060	0.046	4	32	28	24	20
	ARXX – STEEL 6" Straight Waffle Grid	PS-3600	9 ¼	48	1 ½	16	9	5.333	0.074	0.057	12	47	37	49	108
	ARXX – STEEL 6" 90° Corner Waffle Grid	PS-3690	9 ¼	34 ¾ x 10 ¾	1 ½	16	6	5.030	0.060	0.046	12	36	40 ¼	49	72
	ARXX – STEEL 6" 45° Corner Waffle Grid	PS-3645	9 ¼	7 ¹⁵ / ₁₆	1 ½	16	2	1.760	0.018	0.014	27	39 ½	39 ½	49	54
	ARXX – STEEL 6" Straight Flat Wall	PS-4600-24	11	48	2 ½	24	10	8.000	0.148	0.113	8	49	44	49	80
	ARXX – STEEL 6" 90° Corner Flat Wall	PS-4690-24	11	39 x 15	2 ½	24	12	9.000	0.125	0.095	8	39 ½	53	49	96
	ARXX – STEEL 6" 45° Corner Flat Wall	PS-4645-24	11	9	2 ½	24	3	3.000	0.041	0.031	18	46	46	49	48
	8"	ARXX – EDGE Straight Panel Block - 8" connector	EB16-0-STD / EB08-0-CONN	13	48	2 ½	16	6	5.333	0.130	0.099	6	33	17	48
ARXX – EDGE 8" 90° Corner		EB16-8-90	13	32 x 16	2 ½	16	5	5.333	0.095	0.073	6	32	19	49	30
ARXX – PRIME 8" Standard Exposed and 1 Side Concealed		BL08-E-STD / BL08-1-STD	12 ½	48	2 ½	16 ¾	7	5.583	0.136	0.104	12	51	48 ½	51	84
ARXX – PRIME 8" - 90° Corner Exposed and 2 Sides Concealed		BL08-E-90 / BL08-2-90	12 ½	32 x 16	2 ½	16 ¾	5	5.583	0.100	0.077	4	29	32	34	20
ARXX – PRIME 8" - 12" High Standard		BL08-1-STD12	12 ½	48	2 ½	12	6	4.000	0.098	0.075	16	48	51	48	96
ARXX – PRIME 8" - 12" High Corner		BL08-1-9012	12 ½	32 x 16	2 ½	12	5	4.000	0.072	0.055	4	32	29	24	20
ARXX – STEEL 8" Straight Waffle Grid		PS-3800	11	48	1 ½	16	9	5.330	0.100	0.077	12	49	44	49	108
ARXX – STEEL 8" 90° Corner Waffle Grid		PS-3890	11	35 ½ x 11 ½	1 ½	16	6	5.220	0.080	0.061	12	36	46	49	72
ARXX – STEEL 8" 45° Corner Waffle Grid		PS-3845	11	8 ⁹ / ₁₆	1 ½	16	2	1.903	0.025	0.019	27	41 ½	41 ½	49	54
ARXX – STEEL 8" Flat Wall		PS-4800-24	13	48	2 ½	24	12	8.000	0.197	0.151	6	49	39	49	90
ARXX – STEEL 8" 90° Corner Flat Wall		PS-4890-24	13	41 x 17	2 ½	24	14	9.660	0.175	0.133	8	42	61 ½	49	112
ARXX – STEEL 8" 45° Corner Flat Wall		PS-4845-24	13	10	2 ½	24	4	3.330	0.060	0.046	18	48	48	49	72
10"	ARXX – EDGE Straight Panel Block - 10" connector	EB16-0-STD / EB10-0-CONN	15	48	2 ½	16	6	5.333	0.160	0.121	6	33	17	48	36
	ARXX – PRIME 10" Standard Form	BL10-1-STD	15	48	2 ½	16 ¾	7	5.583	0.170	0.130	9	48	47	51	63
	ARXX – PRIME 10" 90° Corner	BL10-1-90	15	27 ½ x 19 ½	2 ½	16 ¾	7	5.460	0.114	0.087	4	32	32	34	28
12"	ARXX – EDGE Straight Panel Block - 2 x 6" connectors	EB16-0-STD / EB06-0-CONN	17	48	2 ½	16	6	5.533	0.198	0.151	6	33	17	48	36